

สารนิติบัญญัติ

จุฬาลงกรณ์เวชสาร 2011

A		
Acute kidney injury	341	Carpal tunnel syndrome 107
Adrenoceptor response	127	CD 117 559
AIDS	355	Cerebral angiography 411
Alcohol consumption	233	Cerebral blood vessels 411
Alcohol craving	233	Cholangiocarcinoma 89
Anemia	143	Computed tomographic 299
Ankle	193	Computed tomography 597
Ankle morphology	193	Contamination 171
Anxiety	367, 635	Contrast-induced nephropathy 341
Aquatic exercise	29	COX-2 inhibitor 127
Autopsy room	171	Creatinine 437
Average glandular dose	587	Creativity thinking 649
Awareness	19	CT (computed tomography) 89, 559
Azathioprine	489	CT slice interval 327
		CT slice thickness 327
B		
Bacteria	171	Culture 171
Balance	221	Cystain C 437
Bile duct	89	
Blood pressure	127	D
Blunt liver trauma	299	Death 355
Breast cancer	571	Dependence 153
		Depression 19, 117
		Diagnostic radiology 621
C		
Calcific uremic arteriolopathy	473	Digital mammography 587
Calcineurin inhibitors	437	Dosimetric verification 207
Calciphylaxis	473	Drug advertising 1
Carbamazepine	311	Drug dosing 39
Carcinoma	543	Drug promotion 1
		DTCA 1

E		J	
Elderly	221, 457	Job application	367
End stage renal disease	261	Juvenile delinquents	635
Endothelial function	127		
Enhancement ratio	543		K
Entrance surface air kerma	587	Kidney	543
Exercise	221	Kidney transplant	437
Exudate	597		
F		L	
Forced vital capacity	29	Liver	89
Forced expiratory in one second	29	LOHS Barthel ADL index	9
G		M	
Gafchromic™ EBT film	207	Mammographic findings	571
Gastrointestinal stromal tumors	559	Medical specialties	381
Genetic variation	39	Medical student	19, 381, 649
GISTs	559	Medication adherence	457
		Mental Health Problem	399
		Mental health	181
H		N	
Happiness	55	Methamphetamine	153
Hashimoto's thyroiditis	253	Moyamoya	411
Head and neck cancer	447	Multiphasic	543
Hemodialysis	261	Myelosuppression	489
Hirschsprung's disease	611		
HIV	355	Nerve conduction study	107
Humeral sizing	273	New Thai army recruits	181
Hypothyroidism	253	Nursing care	261
		Nursing mothers	665
I		O	
Imatinib mesylate	559	Observation and protection centers	635
Individualized therapy	39	Older persons	399
Industrial plants	55	Overweight	19
Intensity modulated radiation therapy	327		
Intensity modulation radiotherapy (IMRT)	207		

	P		
Pediatrics	621	Risk of cancer	621
Percutaneous coronary intervention	341	Roy's adaptation model	261
Personality	381	Ruamkatanyu rescue workers	283
Pharmaceutical marketing	1	Rugby injuries	505
Pharmacogenetics	39		S
Pharmacokinetics	311	Sclerosing adenosis	571
Phenobarbital	311	Self – esteem	517
Phenytoin	311	Senior undergraduate students	367
Physical activity	221, 421	SNP	39
Physical environment	421	Soave operation	611
Pleural effusion	597	Sport specific physical fitness	489
Post-mortem interval	65	Stenosis or occlusion	411
Postpartum depression	665	Stress	19, 283
Precocious puberty	253	Stroke	9, 411
Pregnant women	65	Substance dependence	517
Prognosis	447	Survival	355
Psychometric evaluation of instrument	421	Survival analysis	447
Pulmonary function	29	Systemic lupus erythematosus	489
Pupil size	77		
Pure red cell aplasia (PRCA)	143		T
		Target volume	327
	Q		
Quality of life	65	Terminate pregnancy	65
		Thai elderly	421
		Thanyarak Institute	153
	R		
		Therapeutic Art	517
Radial scar	571	Therapeutic drug monitoring	311
Radiochromic film	207	Thiopurine S-methyltransferase	489
Recombinant human erythropoietin (r-HuEpo)	143	Total elbow arthroplasty	273
Rediation	621	Total ankle arthroplasty	193
Regimen complexity	457	Transanal endorectal pull-through	611
Rehabilitation	9	Transudate	597
Relapse severity	153	Treatment outcome	447
Renal cell	543	Tungsten target	587

U		W	
Ulnar sizing	273	Walking	221
Ultrasound findings	571	Women's rugby	505
V		Workplace	117
Valproic acid	311		
Vascular reactivity	127		
		Y	
		Ya-ba	153